



BioGrow

Mg + MICROELEMENTS
Foliar Application



BIOS**T M**
COMPLEX **Mo**

CROP BALANCED NUTRITION

4.3 - 0 - 0



SHAKE WELL BEFORE USE

Net **5.0**
CONTENT Gallon

BUILDING A NEW AGRICULTURE

BIOSTIM COMPLEX Mo

GUARANTEED ANALYSIS 4.3 - 0 - 0

Nitrogen (N) 4.34 %	4.34 % Water soluble Nitrogen
Magnesium (Mg) 1.84 %	1.84 % Water soluble Magnesium
Boron (B)	0.23 %
Copper (Cu) 0.20 %	0.20 % Water soluble Copper
Iron (Fe) 2.00 %	2.00 % Water soluble Iron
Manganese (Mn) 2.00 %	1.75 % Water soluble Manganese
Molybdenum (Mo) 0.13 %	0.13 % Water soluble Molybdenum
Zinc (Zn) 1.75 %	1.75 % Water soluble Zinc

Derived from: Manganese Sulfate, Boric Acid, Sodium Molybdate, Zinc Sulfate, Copper Sulfate, ferric Sulfate and Magnesium Sulfate.

Density: 86.15 lb/ft³ (1.38gr/ml)

F003308

BIOSTIM COMPLEX, is formulated to maximise uptake and mobility of all micro nutrients and Magnesium in its formulation

Its micronutrients blend allows for the application of a general trace elements mix.

WARNING

The company guarantees the composition, formulation and content of the product. The user is responsible for the use and application of the product, according to the indications for use set out in this label.

NET CONTENT: 5.0 gal (18.92 l)

NET WEIGHT: 57.54 lbs (26.10 K)

Manufactured by: **BIOGROW BIOCHEMICAL SPA**
Address: Volcán Licancabur # 841, Pudahuel, Santiago, Chile
Phone: (+56) 2-23078985

Imported by: **BIOGROW USA CORP**
1446 E 33rd St.
Signal Hill, CA 90755

APPLICATION COMMENTS

Crop	Dose pint / acre	Application
Vegetables	1.0 - 1.5	2- 3 applications during the crop development.
Onions	1.0 - 1.5	3 applications, 4 - 6 leaf stage, 6 - 8 leaf stage and bulbing.
Avocado	1.5 - 2.5	2- 3 applications during the fruit development and post harvest.
Grapevine	1.5 - 2.5	2 applications at preflowering and after fruit setting.
Stone Fruit Pome Fruit	3.0 - 4.0	Apply after petal fall and 14 days later. repeat 1 application in early post harvest
Citrus	1.5 - 2.5	2 applications before sprouting and during the fruit development
Strawberries	1.0 - 1.5	3-4 applications throughout the crop cycle at 10 - 15 days intervals
Potato	1.0 - 1.5	first application after tuber initiation and repeat at 15 days intervals
Cotton	1.5 - 2.5	First application 2 - 3 week before flowering and second application 2 weeks after full flower

COMPATIBILITY

BIOSTIM COMPLEX is compatible with most insecticides, fungicides and foliar nutrients, however it is recommended to perform a jar test before application.

Do not mix with copper based product, Fruitstim or Fruitativ. Care should also be taken when mixing with products that contain Phosphorous.

CAUTIONS

- Shake the bottle before opening.
- Do not apply during the hottest hours of the day.
- Exclusively agricultural use as fertilizer for plants.
- Store in places out of reach of children or animals
- Store in a cool place and protected from sunlight.
- Respect maximum height of stowage.

EXPIRY

Best before 3 years from manufacture date



BIOGROW is a registered trademark of BIOGROW Corporation SA.
BIOSTIM is a registered trademark of BIOGROW Corporation SA.
www.biogrowlifescience.com

v.i.24.03.21.USA