



ORGANOMINERAL FERTILIZER  
Foliar / Fertigation Application



# BIOSTIM CALCIUM

CHELATED CALCIUM

1-0-0+10Ca



SHAKE WELL BEFORE USE

Net  
CONTENT

5.0  
Gallon

BUILDING A NEW AGRICULTURE

# BIOSTIM CALCIUM

## GUARANTEED ANALYSIS 1-0-0

**Total Nitrogen (N)** 1.00 %  
1.0 % Water soluble Nitrogen

**Calcium (Ca)** 10.00 %

Derived from: Calcium Chloride and aminoacids

## F003308

Density: 84.27 lb/ft<sup>3</sup> (1.35 g/ml)

**BIOSTIM CALCIUM**, is a liquid chelated fertilizer for foliar & fertigation application.

**BIOSTIM CALCIUM** is a nutritional corrector based on full disponible Calcium, specially formulated to improve the quality and firmness of fruit in table grapes, apples, cherries, blueberries and others. It contains amino acids and organic acids. It also contains adjuvant molecules that facilitate the foliar absorption of calcium.

## BATCH AND MANUFACTURING DATE

See the packaging

## EXPIRATION

Best before 3 years from manufacture date.

## WARNING

The company guarantees the composition, formulation and content of the product. The user is responsible for the use and application of the product, according to the indications for use set out in this label.

**NET CONTENT:** 5.0 gal (18.92 l)

**NET WEIGHT:** 56.3 lbs (23.26 K)

Manufactured by: **BIOGROW BIOCHEMICAL SPA**  
Address: Volcán Licancabur # 841, Pudahuel, Santiago, Chile  
Phone: (+56) 2-23078985

Imported by: **BIOGROW USA CORP**  
1446 E 33rd St.  
Signal Hill, CA 90755

## APPLICATION RATES

Crop	Rate Foliar pint / acre	Application
<b>Table grape</b>	1.5 - 3.0	Pre flowering to colour change.
<b>Apple &amp; Pome Fruit</b>		
<b>Cherry &amp; Stone fruit</b>	2.0 - 4.0	Apply from the beginning of flowering onwards 2 to 4 applications, repeat as necessary
<b>Kiwi</b>		
<b>Berries</b>	0.5 - 1.0	Apply every 7 days starting at pre-flowering.
<b>Citrus</b>	3.0 - 3.5	Apply at pre-flowering, repeat as necessary.
<b>Pineapples</b>	1.5 - 3.0	Apply on shoot development, repeat as necessary.
<b>Tomato, Capsicum</b>	0.5 - 1.0	Apply from pre-flowering, repeat as necessary.
<b>Cucurbits</b>	0.5 - 1.0	Apply from pre-flowering, repeat every 10 - 12 days as necessary.
<b>Letucce, Brassicas</b>	0.5 - 1.0	Apply from 6 leaves, repeat as necessary.
<b>Celery</b>	0.5 - 1.0	Apply when the plant reaches 20 cm.

Crop	Rate Fertigation pint / acre	Application
<b>Berries</b>		
<b>Tomato</b>		
<b>Capsicum</b>	3.0 - 4.5	Apply to stimulate root growth, every 7 - 15 days
<b>Lettuce</b>		

## CAUTION

- Shake the packaging before opening.
- Do not apply during the hottest hours of the day.
- Exclusively agricultural use as fertilizer for plants.
- Store the product in places out of reach of children or animals.
- Store in a cool place protected from direct sun light.
- Respect maximum stowage height.

Do not mix **BIOSTIM CALCIUM** with products wich contains phosphorous.  
With plant protection products carry out chemical compatibility tests before use.



**BIOGROW** is a registered trademark of **BIOGROW Corporation SA**.  
**BIOSTIM** is a registered trademark of **BIOGROW Corporation SA**.  
[www.biogrowlifescience.com](http://www.biogrowlifescience.com)

vi.28.11.23.USA